

DIOXIN AND FURAN RESIDUES IN FISH AND SHELLFISH FROM THE VICINITY OF CROFTON PULP MILL (BC) - PARTS PER TRILLION

NO.	SITE	LAB ID NO	% LIPID	SPECIES/TISSUE	IND. PER COMP.	2,3,7,8 SUBST. TCDD	TOTAL TCDD	2,3,7,8 SUBST. PCDD	TOTAL PCDD	2,3,7,8 SUBST. H6CDD	TOTAL H6CDD	2,3,7,8 SUBST. H7CDD	TOTAL H7CDD	OCDD	2,3,7,8 SUBST. TCDF	TOTAL TCDF	1,2,3,7,8 PCDF	2,3,4,7,8 PCDF	2,3,7,8 SUBST. PCJF	TOTAL PCDF	2,3,7,8 SUBST. H6CDF	TOTAL H6CDF	2,3,7,8 SUBST. H7CDF	TOTAL H7CDF	OCDF
1	NORTH REEF C1 7.0 KM N of OUTFALL	2602-09	10.40	Dungeness Crab - hepatopancreas	3	14.0	14.0	34.0	110.0	283.0	690.0	10.0	17.0	12.0	350.0	510.0	<1.1	8.4	8.4	51.0	<2.7	30.0	2.8	3.7	<5.1
2	NORTH REEF C1 7.0 KM N of OUTFALL	2643-01	7.76	Dungeness Crab - hepatopancreas	2	7.9	17.0	28.0	93.0	194.0	460.0	13.0	18.0	8.2	260.0	340.0	4.2	8.5	13.0	32.0	12.0	32.0	7.9	8.5	4.3
3	HOUSTON CHANNEL C16A 6.7 KM N of OUTFALL	2643-16	9.70	Dungeness Crab - hepatopancreas	3	1.8	5.8	7.3	36.0	88.0	300.0	6.2	12.0	4.0	55.0	86.0	1.6	3.0	4.6	36.0	2.3	21.0	3.8	4.7	<0.7
4	THETIS ISLAND C22 16.8 KM NW of OUTFALL	2643-20A	11.9	Dungeness Crab - hepatopancreas	2	3.0	5.2	12.0	41.0	104.0	250.0	13.0	20.0	11.0	94.0	120.0	2.1	2.8	4.9	20.0	8.4	27.0	13.0	18.0	15.0
5	THETIS ISLAND C22 16.8 KM NW of OUTFALL	2643-20B Duplicate	11.9	Dungeness Crab - hepatopancreas	2	2.8	6.5	12.0	41.0	107.0	260.0	12.0	18.0	11.0	92.0	120.0	2.0	2.8	4.8	19.0	8.2	28.0	12.0	16.0	11.0
AVERAGE OF SAMPLES 4 & 5				Dungeness Crab - hepatopancreas		2.9	5.9	12.0	41.0	105.5	255.0	12.5	19.0	11.0	93.0	120.0	2.1	2.8	4.9	19.5	8.3	27.5	12.5	17.0	13.0
6	THETIS ISLAND C22 16.8 KM NW of OUTFALL	2643-18	1.11	Dungeness Crab - leg muscle	1	<0.2	<0.2	<0.4	<0.4	<0.4	0.7	<0.6	<0.6	<0.8	0.6	0.6	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	<0.6	<0.6	<0.8
7	THETIS ISLAND C22 16.8 KM NW of OUTFALL	2643-19	1.02	Dungeness Crab - leg muscle	1	<0.1	0.2	0.3	1.7	2.2	5.5	<3.3	<3.3	<6.5	1.4	3.0	<0.5	<0.5	<0.5	2.3	1.3	4.7	<3.3	<3.3	<5.6
AVERAGE OF SAMPLES 6 & 7				Dungeness Crab - leg muscle		<0.2	0.1	0.2	0.9	1.1	3.1	<3.3	<3.3	<6.5	1.0	1.8	<0.5	<0.5	<0.5	1.2	0.7	2.4	<3.3	<3.3	<5.6
8	STUART CHANNEL C3-1 2.0 KM N of OUTFALL	2602-12	0.53	Dungeness Crab - leg muscle	1	<0.7	<0.7	<1.5	<1.5	<2.0	<2.0	<3.8	<3.8	<9.0	5.0	6.5	<0.6	<0.6	<0.6	<0.6	<1.5	<1.5	<3.1	<3.1	<6.6
9	STUART CHANNEL C3-2 2.0 KM N of OUTFALL	2602-13	1.51	Dungeness Crab - leg muscle	1	<0.4	<0.4	<0.6	<0.6	<0.6	<0.6	<1.2	<1.2	<1.5	0.8	0.8	<0.3	<0.3	<0.3	<0.3	<0.5	<0.5	<1.2	<1.2	<1.2
10	STUART CHANNEL C3-3 2.0 KM N of OUTFALL	2602-14	0.84	Dungeness Crab - leg muscle	1	<0.4	<0.4	<0.8	<0.8	<1.0	<1.0	<1.7	<1.7	<2.6	2.6	3.1	<0.4	<0.4	<0.4	<0.4	<0.7	<0.7	<1.5	<1.5	<2.4
AVERAGE OF SAMPLES 8, 9, 10				Dungeness Crab - leg muscle		<0.7	<0.7	<1.5	<1.5	<2.0	<2.0	<3.8	<3.8	<9.0	2.8	3.5	<0.6	<0.6	<0.6	<0.6	<1.5	<1.5	<3.1	<3.1	<6.6
11	STUART CHANNEL C3 2.0 KM N of OUTFALL	2643-02	0.89	Dungeness Crab - leg muscle	1	NDR(0.4)	<0.4	<0.5	<0.5	4.2	11.0	<2.1	<2.1	<4.1	6.0	8.4	<0.3	<0.3	<0.3	<0.3	<1.2	<1.2	<1.6	<1.6	<3.5
12	STUART CHANNEL C3 2.0 KM N of OUTFALL	2643-03	0.96	Dungeness Crab - leg muscle	1	<0.2	<0.2	<0.3	1.6	6.0	20.0	<2.2	<2.2	<3.4	6.0	9.9	<0.2	<0.2	<0.2	0.7	<0.8	<0.8	<1.3	<1.3	<2.6

DIOXIN AND FURAN RESIDUES IN FISH AND SHELLFISH FROM THE VICINITY OF CROFTON PULP MILL (BC) - PARTS PER TRILLION

NO.	SITE	LAB ID NO	% LIPID	SPECIES/TISSUE	IND. PER COMP.	2,3,7,8 SUBST. TCDD	TOTAL TCDD	2,3,7,8 SUBST. PCDD	TOTAL PCDD	2,3,7,8 SUBST. H6CDD	TOTAL H6CDD	2,3,7,8 SUBST. H7CDD	TOTAL H7CDD	OCDD	2,3,7,8 SUBST. TCDF	TOTAL TCDF	1,2,3,7,8 PCDF	2,3,4,7,8 PCDF	2,3,7,8 SUBST. PCDF	TOTAL PCDF	2,3,7,8 SUBST. H6CDF	TOTAL H6CDF	2,3,7,8 SUBST. H7CDF	TOTAL H7CDF	OCDF
13 2850-4 02-02-92	STUART CHANNEL C3 2.0 KM N of OUTFALL	2643-04	1.01	Dungeness Crab - leg muscle	1	<0.2	<0.2	<0.3	<0.3	2.3	2.3	<0.8	<0.8	<1.5	2.4	3.1	<0.2	<0.2	<0.2	<0.2	<0.4	<0.4	<0.5	<0.5	<1.1
				AVERAGE OF SAMPLES 11, 12, 13		<0.2	<0.2	<0.5	0.5	4.2	11.1	<2.2	<2.2	<4.1	4.8	7.1	<0.3	<0.3	<0.3	0.2	<1.2	<1.2	<1.6	<1.6	<3.5
14	STUART CHANNEL C2 4.5 KM N of OUTFALL	2602-10	11.10	Dungeness Crab - hepatopancreas	3	16.0	16.0	47.0	76.0	390.0	670.0	16.0	24.0	<7.7	430.0	540.0	4.9	11.0	15.9	44.0	<3.9	28.0	6.6	8.6	<7.8
15	STUART CHANNEL C3 2.0 KM N of OUTFALL	2602-11	10.70	Dungeness Crab - hepatopancreas	3	13.0	13.0	<2.4	44.0	236.0	620.0	9.5	9.5	<1.40	400.0	550.0	4.0	11.0	15.0	44.0	<5.7	<5.7	<6.8	<6.8	<12.0
16 2850-5 02-02-92	STUART CHANNEL C3 2.0 KM N of OUTFALL	2643-05	16.8	Dungeness Crab - hepatopancreas	3	10.0	25.0	30.0	140.0	450.0	1400.0	25.0	46.0	10.0	390.0	540.0	4.8	10.0	15.0	75.0	5.3	79.0	12.0	15.0	<1.1
17	OSBORN BAY C5 2.0 KM SE of OUTFALL	2602-16	11.90	Dungeness Crab - hepatopancreas	3	12.0	17.0	24.0	78.0	222.0	600.0	11.0	21.0	<3.6	410.0	590.0	3.0	7.3	10.3	55.0	<0.9	34.0	4.4	5.8	<4.0
18	LADYSMITH HARBOUR C17 10.0 KM NW of OUTFALL	2602-29	11.60	Dungeness Crab - hepatopancreas	3	5.0	5.0	<2.8	7.3	75.9	160.0	<5.5	<5.5	<8.5	130.0	170.0	<1.3	<1.3	<1.3	5.8	<4.1	<4.1	<4.6	<4.6	<7.7
19 2850-17 04-02-92	LADYSMITH HARBOUR C17 10.0 KM NW of OUTFALL	2643-17	8.07	Dungeness Crab - hepatopancreas	3	3.2	9.2	9.4	36.0	90.0	230.0	14.0	20.0	4.9	82.0	120.0	2.6	5.1	7.7	83.0	7.8	110.0	20.0	20.0	<0.9
20	SALTSPRING IS. - DOCK PT C4 4.0 KM E of OUTFALL	2602-15	8.69	Dungeness Crab - hepatopancreas	3	11.0	14.0	37.0	94.0	238.0	550.0	7.5	12.0	<4.8	290.0	440.0	3.7	8.3	12.0	46.0	<1.2	<1.2	2.3	2.3	<3.8
21 2850-6 02-02-92	SALTSPRING IS. - DOCK PT C4 4.0 KM E of OUTFALL	2643-06A	15.9	Dungeness Crab - hepatopancreas	3	15.0	37.0	55.0	260.0	579.0	1800.0	23.0	44.0	8.2	500.0	730.0	4.1	12.0	16.0	100.0	8.8	93.0	9.8	12.0	<2.4
22 2850-6 02-02-92	SALTSPRING IS. - DOCK PT C4 4.0 KM E of OUTFALL	2643-06B Duplicate	15.9	Dungeness Crab - hepatopancreas	3	16.0	36.0	56.0	180.0	594.0	1700.0	25.0	43.0	10.0	540.0	770.0	2.6	8.8	11.0	61.0	7.1	73.0	8.9	10.0	<3.0
				AVERAGE OF SAMPLES 21 & 22		15.5	36.5	55.5	220.0	586.5	1750.0	24.0	43.5	9.1	520.0	750.0	3.4	10.4	13.5	80.5	8.0	83.0	9.4	11.0	<3.0
23	BOOTH BAY C6 6.0 KM SE of OUTFALL	2602-17	9.48	Dungeness Crab - hepatopancreas	3	15.0	22.0	45.0	160.0	401.2	940.0	6.2	13.0	<8.3	440.0	640.0	2.8	13.0	15.8	92.0	<2.7	50.0	7.3	9.6	<8.0
24 2850-7 02-02-92	BOOTH BAY C6 6.0 KM SE of OUTFALL	2643-07	14.3	Dungeness Crab - hepatopancreas	3	16.0	35.0	80.0	330.0	794.0	2100.0	19.0	41.0	8.8	680.0	960.0	3.7	20.0	24.0	110.0	9.9	120.0	12.0	16.0	<1.5
25	BOOTH BAY C6-1 6.0 KM SE of OUTFALL	2602-18A	1.18	Dungeness Crab - leg muscle	1	<0.7	<0.7	<1.2	<1.2	9.6	18.0	<2.9	<2.9	<5.9	11.0	14.0	<0.6	<0.6	<0.6	<0.6	<1.4	<1.4	<3.1	<3.1	<4.9

DIOXIN AND FURAN RESIDUES IN FISH AND SHELLFISH FROM THE VICINITY OF CROFTON PULP MILL (BC) - PARTS PER TRILLION

NO.	SITE	LAB ID NO	% LIPOID	SPECIES/TISSUE	IND. PER COMP.	2,3,7,8 SUBST. TCDD	TOTAL TCDD	2,3,7,8 SUBST. PCDD	TOTAL PCDD	2,3,7,8 SUBST. H6CDD	TOTAL H6CDD	2,3,7,8 SUBST. H7CDD	TOTAL H7CDD	OCDD	2,3,7,8 SUBST. TCDF	TOTAL TCDF	1,2,3,7,8 PCDF	2,3,4,7,8 PCDF	2,3,7,8 SUBST. PCDF	TOTAL PCDF	2,3,7,8 SUBST. H6CDF	TOTAL H6CDF	2,3,7,8 SUBST. H7CDF	TOTAL H7CDF	OCDF
26	BOOTH BAY C6-1 6.0 KM SE of OUTFALL	2602-18B	1.18	Dungeness Crab - leg muscle (duplicate)	1	<0.5	<0.5	<1.1	<1.1	8.8	19.0	<2.4	<2.4	<5.1	12.0	16.0	<0.5	<0.5	<0.5	<0.5	<1.1	<1.1	<2.6	<2.6	<4.2
	AVERAGE OF SAMPLES 25 & 26			Dungeness Crab - leg muscle		<0.7	<0.7	<1.2	<1.2	9.2	18.5	<2.9	<2.9	<5.9	11.5	15.0	<0.6	<0.6	<0.6	<0.6	<1.4	<1.4	<3.1	<3.1	<4.9
27	BOOTH BAY C6-2 6.0 KM SE of OUTFALL	2602-19	0.71	Dungeness Crab - leg muscle	1	<0.5	<0.5	<1.2	<1.2	7.4	16.0	<2.9	<2.9	<5.7	8.4	11.0	<0.5	<0.5	<0.5	<0.5	<1.6	<1.6	<3.3	<3.3	<6.7
28	BOOTH BAY C6-3 6.0 KM SE of OUTFALL	2602-20	0.76	Dungeness Crab - leg muscle	1	<0.7	<0.7	<1.4	<1.4	<2.0	<2.0	<2.8	<2.8	<3.9	0.9	0.9	<0.8	<0.8	<0.8	<0.8	<1.4	<1.4	<3.0	<3.0	<4.2
	AVERAGE OF (AVG OF 25 & 26, 27, 28)			Dungeness Crab - leg muscle		<0.7	<0.7	<1.4	<1.4	5.5	11.5	<2.9	<2.9	<5.7	6.9	9.0	<0.8	<0.8	<0.8	<0.8	<1.6	<1.6	<3.3	<3.3	<4.9
29	MAPLE BAY C7 11.0 KM S of OUTFALL	2602-21	9.40	Dungeness Crab - hepatopancreas	3	11.0	14.0	<0.4	70.0	224.0	550.0	1.4	22.0	5.0	280.0	400.0	1.8	3.6	5.4	24.0	<0.5	2.5	5.2	6.6	<1.9
30 2850-8 02-02-92	MAPLE BAY C7 11.0 KM S of OUTFALL	2643-08	9.31	Dungeness Crab - hepatopancreas	2	15.0	25.0	62.0	180.0	454.0	980.0	15.0	24.0	8.2	490.0	600.0	4.6	10.0	15.0	40.0	4.7	32.0	6.4	7.2	<1.0
31	BURGOYNE BAY C8 13.5 KM SE of OUTFALL	2602-22	6.47	Dungeness Crab - hepatopancreas	3	7.7	8.6	25.0	69.0	112.0	260.0	5.3	9.3	4.2	190.0	280.0	1.7	4.6	6.3	26.0	<0.6	1.2	<1.0	<1.0	<1.5
32 2850-9 01-02-92	BURGOYNE BAY C8 13.5 KM SE of OUTFALL	2643-09	13.2	Dungeness Crab - hepatopancreas	3	4.2	8.2	19.0	72.0	223.0	690.0	13.0	24.0	6.9	110.0	150.0	1.6	2.8	4.4	16.0	2.4	17.0	4.0	5.9	<1.4
33	SATELLITE CHANNEL C10-1 20.0 KM S of OUTFALL	2602-24	0.42	Dungeness Crab - leg muscle	1	<0.9	<0.9	<1.7	<1.7	3.9	12.0	<3.1	<3.1	<5.6	5.9	8.8	<0.7	<0.7	<0.7	<0.7	<1.5	<1.5	<3.0	<3.0	<5.5
34	SATELLITE CHANNEL C10-2 20.0 KM S of OUTFALL	2602-25	0.48	Dungeness Crab - leg muscle	1	<0.7	<0.7	<1.1	<1.1	<2.2	<2.2	<2.7	<2.7	<5.5	1.3	1.3	<0.5	<0.5	<0.5	<0.5	<1.3	<1.3	<2.6	<2.6	<4.2
35	SATELLITE CHANNEL C10-3 20.0 KM S of OUTFALL	2602-26	0.68	Dungeness Crab - leg muscle	1	<0.6	<0.6	<1.3	<1.3	<1.7	<1.7	<2.7	<2.7	<3.7	2.9	4.0	<0.6	<0.6	<0.6	<0.6	<1.6	<1.6	<2.2	<2.2	<3.2
	AVERAGE OF SAMPLES 33, 34, 35			Dungeness Crab - leg muscle		<0.9	<0.9	<1.7	<1.7	1.3	4.0	<3.1	<3.1	<5.6	3.4	4.7	<0.7	<0.7	<0.7	<0.7	<1.5	<1.5	<3.0	<3.0	<5.5
36	SATELLITE CHANNEL C10 20.0 KM S of OUTFALL	2602-23	9.85	Dungeness Crab - hepatopancreas	3	5.3	10.0	23.0	77.0	140.3	350.0	9.9	17.0	2.8	160.0	280.0	1.2	5.0	6.2	47.0	<1.1	25.0	3.9	6.6	<2.0
37 2850-10 01-02-92	SATELLITE CHANNEL C10 20.0 KM S of OUTFALL	2643-10	15	Dungeness Crab - hepatopancreas	3	4.2	9.4	13.0	45.0	90.0	280.0	8.8	16.0	6.3	130.0	190.0	1.1	3.0	4.1	19.0	2.8	21.0	4.5	6.4	<1.4

DIOXIN AND FURAN RESIDUES IN FISH AND SHELLFISH FROM THE VICINITY OF CROFTON PULP MILL (BC) - PARTS PER TRILLION

NO.	SITE	LAB ID NO	% LIPID	SPECIES/TISSUE	IND. PER COMP.	2,3,7,8 SUBST. TCDD	TOTAL TCDD	2,3,7,8 SUBST. PCDD	TOTAL PCDD	2,3,7,8 SUBST. H6CDD	TOTAL H6CDD	2,3,7,8 SUBST. H7CDD	TOTAL H7CDD	OCDD	2,3,7,8 SUBST. TCDF	TOTAL TCDF	1,2,3,7,8 PCDF	2,3,4,7,8 PCDF	2,3,7,8 SUBST. PCDF	TOTAL PCDF	2,3,7,8 SUBST. H6CDF	TOTAL H6CDF	2,3,7,8 SUBST. H7CDF	TOTAL H7CDF	OCDF
38	COWICHAN BAY C12 21.5 KM S of OUTFALL	2602-27	6.38	Dungeness Crab - hepatopancreas	3	2.5	2.5	<1.3	15.0	70.5	180.0	4.8	7.5	<3.4	82.0	130.0	<0.6	<0.6	<0.6	12.0	<1.0	<1.0	<2.2	<2.2	<2.8
39 2850-14 01-02-92	COWICHAN BAY C13 23.0 KM S of OUTFALL	2643-14A	19.5	Dungeness Crab - hepatopancreas	3	4.8	10.0	17.0	59.0	130.0	380.0	26.0	82.0	11.0	140.0	210.0	3.2	7.8	11.0	84.0	4.6	45.0	8.2	11.0	<1.2
40 2850-14 01-02-92	COWICHAN BAY C13 23.0 KM S of OUTFALL	2643-14B Duplicate	19.1	Dungeness Crab - hepatopancreas	3	4.8	11.0	17.0	60.0	140.0	410.0	24.0	80.0	10.0	140.0	210.0	3.5	7.8	11.0	96.0	5.9	56.0	8.6	11.0	<1.4
AVERAGE OF SAMPLES 39 & 40				Dungeness Crab - hepatopancreas		4.8	10.5	17.0	59.5	135.0	395.0	25.0	81.0	10.5	140.0	210.0	3.4	7.8	11.0	90.0	5.3	50.5	8.4	11.0	<1.4
41	COWICHAN BAY C13 23.0 KM S of OUTFALL	2602-28	11.90	Dungeness Crab - hepatopancreas	3	5.8	12.0	<1.0	70.0	173.0	450.0	14.0	28.0	5.2	180.0	330.0	<0.5	6.6	6.6	58.0	<0.9	36.0	5.8	7.3	<2.8
42 2850-11 01-02-92	COWICHAN BAY C13 23.0 KM S of OUTFALL	2643-11	0.80	Dungeness Crab - leg muscle	1	<0.1	<0.1	<0.2	<0.2	0.4	1.5	<0.9	<0.9	<1.3	0.9	1.3	<0.3	<0.3	<0.3	<0.3	<0.5	<0.5	<0.6	<0.6	<0.9
43 2850-12 01-02-92	COWICHAN BAY C13 23.0 KM S of OUTFALL	2643-12A	0.93	Dungeness Crab - leg muscle	1	<0.2	<0.2	<0.4	<0.4	0.6	2.2	<0.8	<0.8	<1.8	1.0	1.6	<0.4	<0.4	<0.4	<0.4	<0.6	<0.6	<0.9	<0.9	<1.5
44 2850-12 01-02-92	COWICHAN BAY C13 23.0 KM S of OUTFALL	2643-12B Duplicate	0.96	Dungeness Crab - leg muscle	1	<0.2	<0.2	<0.4	<0.4	<0.5	0.6	<0.9	<0.9	<2.1	0.5	0.7	<0.4	<0.4	<0.4	<0.4	<0.6	<0.6	<0.9	<0.9	<1.3
AVERAGE OF SAMPLES 43 & 44				Dungeness Crab - leg muscle		<0.2	<0.2	<0.4	<0.4	0.3	1.4	<0.9	<0.9	<2.1	0.8	1.2	<0.4	<0.4	<0.4	<0.4	<0.6	<0.6	<0.9	<0.9	<1.5
45 2850-13 01-02-92	COWICHAN BAY C13 23.0 KM S of OUTFALL	2643-13	0.95	Dungeness Crab - leg muscle	1	<0.1	<0.1	<0.2	<0.2	<0.3	<0.3	<0.4	<0.4	<0.5	0.3	0.4	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.4	<0.4	<0.5
AVERAGE OF SAMPLES 42, 43 & 44, 45				Dungeness Crab - leg muscle		<0.2	<0.2	<0.4	<0.4	0.2	1.0	<0.9	<0.9	<2.1	0.7	1.0	<0.4	<0.4	<0.4	<0.4	<0.6	<0.6	<0.9	<0.9	<1.5
46	SATELLITE CHANNEL C14 24.5 KM S of OUTFALL	2602-31	7.82	Dungeness Crab - hepatopancreas	3	2.8	2.8	<1.7	14.0	<1.7	150.0	6.8	6.8	5.6	99.0	140.0	<1.4	2.6	2.6	23.0	<1.7	26.0	<2.3	<2.3	<4.4
47 2850-15 01-02-92	SATELLITE CHANNEL C14 24.5 KM S of OUTFALL	2643-15	2.71	Dungeness Crab - hepatopancreas	1	0.7	1.8	2.5	8.7	29.0	78.0	3.2	5.3	2.0	15.0	22.0	<0.4	0.8	0.8	8.3	<0.4	5.7	1.8	1.9	<0.8
48	LADYSMITH HARBOUR C18 14.5 KM NW of OUTFALL	2602-30	10.90	Dungeness Crab - hepatopancreas	3	5.3	5.3	9.5	23.0	70.0	190.0	7.5	12.0	<4.1	150.0	210.0	<0.8	2.5	2.5	35.0	<1.2	<1.2	2.8	3.6	<4.0
49	DAYMAN IS. O1 11.0 KM NW of OUTFALL	2602-32A	4.17	Japanese Oysters - soft tissue	4	<0.6	5.8	<1.4	<1.4	<1.8	<1.8	<2.6	<2.6	<4.8	20.0	31.0	<0.5	<0.5	<0.5	<0.5	<1.7	<1.7	<2.3	<2.3	<3.7

DIOXIN AND FURAN RESIDUES IN FISH AND SHELLFISH FROM THE VICINITY OF CROFTON PULP MILL (BC) - PARTS PER TRILLION

NO.	SITE	LAB ID NO	% LIPID	SPECIES/TISSUE	IND. PER COMP.	2,3,7,8 SUBST. TCDD	TOTAL TCDD	2,3,7,8 SUBST. PCDD	TOTAL PCDD	2,3,7,8 SUBST. H6CDD	TOTAL H6CDD	2,3,7,8 SUBST. H7CDD	TOTAL H7CDD	OCDD	2,3,7,8 SUBST. TCDF	TOTAL TCDF	1,2,3,7,8 PCDF	2,3,4,7,8 PCDF	2,3,7,8 SUBST. PCDF	TOTAL PCDF	2,3,7,8 SUBST. H6CDF	TOTAL H6CDF	2,3,7,8 SUBST. H7CDF	TOTAL H7CDF	OCDF	
50	DAYMAN IS. O1 11.0 KM NW of OUTFALL	2602-32B	3.84	Japanese Oysters - soft tissue (duplicate)	4	<0.7	6.9	<1.4	<1.4	<1.6	<1.6	<2.6	<2.6	<4.9	22.0	32.0	<0.6	<0.6	<0.6	<0.6	<1.1	<1.1	<2.5	<2.5	<3.9	
	AVERAGE OF SAMPLES 49 & 50			Japanese Oysters - soft tissue		<0.7	6.4	<1.4	<1.4	<1.8	<1.8	<2.6	<2.6	<4.9	21.0	31.5	<0.6	<0.6	<0.6	<0.6	<1.7	<1.7	<2.5	<2.5	<3.9	
51 2850-21 03-02-92	DAYMAN IS. O1 11.0 KM NW of OUTFALL	2643-21	1.84	Oysters - soft tissue	3	0.2	2.0	0.4	3.1	<0.6	3.6	<3.2	<3.2	<8.0	4.3	9.8	<0.6	<0.6	<0.6	2.4	<0.8	<0.8	<3.0	<3.0	<5.4	
52	STUART CHANNEL O2 5.5 KM NW of OUTFALL	2602-33	4.10	Japanese Oysters - soft tissue	4	<0.6	2.0	<1.2	<1.2	<1.7	<1.7	<2.5	<2.5	<5.5	11.0	15.0	<0.7	<0.7	<0.7	<0.7	<1.6	<1.6	<2.6	<2.6	<4.6	
53 2850-22 03-02-92	STUART CHANNEL O2 5.5 KM NW of OUTFALL	2643-22	1.21	Oysters - soft tissue	3	0.2	1.3	0.3	2.9	1.7	5.2	<2.8	<2.8	<5.5	3.0	7.3	<0.4	<0.4	<0.4	2.3	<1.1	<1.1	<2.7	<2.7	<4.8	
54	OSBORN BAY O3 4.0 KM SE of OUTFALL	2602-34	2.38	Japanese Oysters - soft tissue	4	<0.7	2.9	<1.2	<1.2	1.6	5.5	<2.3	<2.3	<3.3	22.0	35.0	<0.6	<0.6	<0.6	<0.6	<1.2	<1.2	<2.0	<2.0	<3.5	
55 2850-23 03-02-92	OSBORN BAY O3 4.0 KM SE of OUTFALL	2643-23	3.18	Oysters - soft tissue	3	0.4	3.1	0.6	4.6	2.3	7.4	<2.7	<2.7	<5.6	9.3	19.0	<0.6	<0.6	<0.6	<0.6	<1.1	<1.1	<2.6	<2.6	<5.0	
56	BOOTH BAY O4 6.0 KM E of OUTFALL	2602-35	2.17	Japanese Oysters - soft tissue	3	<0.5	1.3	<0.9	<0.9	<1.3	<1.9	<2.0	<2.0	<3.0	8.6	11.0	<0.4	<0.4	<0.4	<0.4	<1.0	<1.0	<2.0	<2.0	<2.5	
_ADYSMITH HARBOUR, B.C.																										
57	HOLLAND BANK	TCDD 1364B		Oysters - soft tissue	5	<0.03	2.0	0.7	1.3	<0.165	2.3	<0.26	<0.26	<0.78	3.8	7.9	<0.07	<0.07	0.0	1.4	<0.10	0.3	<0.15	<0.15	<0.34	
58	NW OF WEDGE POINT Site #LH006	TCDD 1365B		Oysters - soft tissue	4	0.3	2.0	0.7	3.7	0.1	12.0	2.2	4.3	5.1	2.4	9.8	<0.02	<0.02	0.0	10.0	0.2	8.9	1.2	2.3	<0.19	